

DELAWARE

PUBLIC NOTICE

The following applications and/or verified complaints were received, and the following draft, proposed and final actions were issued, by the Ohio Environmental Protection Agency (OEPA) last week. "Actions" include the adoption, modification, or repeal of orders (other than emergency orders); the issuance, denial, modification or revocation of licenses, permits, leases, variances, or certificates; and the approval or disapproval of plans and specifications. "Draft actions" are written statements of the Director of Environmental Protection's (Director's) intent with respect to the issuance, denial, etc. of a permit, license, order, etc. Interested persons may submit written comments or request a public meeting regarding draft actions. Comments or public meeting requests must be submitted within 30 days of notice of the draft action. "Proposed actions" are written statements of the Director's intent with respect to the issuance, denial, modification, revocation, or renewal of a permit, license or variance. Written comments and requests for a public meeting regarding a proposed action may be submitted within 30 days of notice of the proposed action. An adjudication hearing may be held on a proposed action if a hearing request or objection is received by the OEPA within 30 days of issuance of the proposed action. Written comments, requests for public meetings and adjudication hearing requests must be sent to: Hearing Clerk, Ohio Environmental Protection Agency, P.O. Box 1049, Columbus, Ohio 43216-1049 (Telephone: 614-644-2129). "Final actions" are actions of the Director which are effective upon issuance or a stated effective date. Pursuant to Ohio Revised Code Section 3745.04, a final action may be appealed to the Environmental Review Appeals Commission (ERAC) by a person who was a party to a proceeding before the Director by filing an appeal within 30 days of notice of the final action. Pursuant to Ohio Revised Code Section 3745.07, a final action issuing, denying, modifying, revoking or renewing a permit, license or variance which is not preceded by a proposed action, may be appealed to the ERAC by filing an appeal within 30 days of the issuance of the final action. ERAC appeals accompanied by a \$70.00 filing fee which the Commission in its discretion may reduce if by affidavit the appellant demonstrates that payment of the full amount of the fee would cause extreme hardship, must be filed with: Environmental Review Appeals Commission, 309 South Fourth Street, Room 222, Columbus, Ohio 43215. A copy of the appeal must be served on the Director within 3 days after filing the appeal with ERAC.

APPLICATION FOR ANTIDegradation PROJECT

NATIONAL LIME & STONE COMPANY

P.O. BOX 120

FINDLAY, OH

OH ACTION DATE : 06/17/2009

RECEIVING WATERS: SCIOTO RIVER

FACILITY DESCRIPTION: WASTEWATER

IDENTIFICATION NO. : 4IJ00111

ANTIDegradation PROJECT AS DEFINED BY OAC 3745-1-05 - AN EXCLUSION OR WAIVER IS APPLICABLE. REQUESTS TO BE ON THE INTERESTED PARTIES MAILING LIST SHOULD BE SUBMITTED WITHIN 30 DAYS TO OHIO EPA-DIVISION OF SURFACE WATER, ATTENTION: PERMITS PROCESSING UNIT, 50 WEST TOWN STREET, P.O. BOX 1049, COLUMBUS, OHIO 43216-1049.

June 16, 2009

National Lime and Stone-Radnor: Antidegradation

Project Specific Facts: National Lime and Stone Company

Radnor Facility

(Date of Notice: June 17, 2009)

NAME AND ADDRESS OF APPLICANT: National Lime and Stone Company, P.O. Box 120, Findlay, Ohio.

PROJECT LOCATION: 2989 Meredith Road, Radnor, Radnor Township, Delaware County, Ohio.

PERMITS UNDER CONSIDERATION: An NPDES permit for discharges from limestone quarry operations.

RECEIVING WATER BODY AND CATEGORY: An unnamed tributary to the Scioto River. These waterbodies are categorized as General High Quality Waters.

EXCLUSION AND/OR WAIVER: A review of the application indicates that an exclusion applies to the proposed project. OAC 3745-1-05(D)(1)(h)(i) allows for reduced review and application criteria for projects that discharge only suspended solids at levels below specified discharge standards.

DESCRIPTION OF PROJECT: Discharge of approximately 3.6 million gallons per day of stormwater and groundwater from quarry during limestone mining operations.

PUBLIC HEARING: No public hearing is currently scheduled for this project.

DISTRICT OFFICE OVERSEEING PROJECT REVIEW: Ohio Environmental Protection Agency-- Central District Office.