

Date of Public Notice: August 22, 2008

**Delaware, Fairfield,
Franklin, Licking,
Pickaway and Union
Counties**

**PUBLIC NOTICE
PUBLIC HEARING FOR PROPOSED MODIFICATIONS TO NPDES PERMITS
AND DRAFT PLAN APPROVAL**

Notice is hereby given that a public hearing has been scheduled for the draft plan approval for the Wet Weather Management Plan for the City of Columbus, and proposed modifications to National Pollutant Discharge Elimination System (NPDES) permits 4PF00000 and 4PF00001 for the discharges from the Jackson Pike Wastewater Treatment Plant located at 2104 Jackson Pike, Columbus, Franklin County, Ohio, and the Columbus Southerly Wastewater Treatment Plant located at 6977 South High Street, Lockbourne, Franklin County, Ohio, and points within their sewerage collection systems.

The public hearing is scheduled to begin at 6:00 p.m. on Tuesday, September 23, 2008 at the Columbus Library South High Branch, 3540 South High Street, Columbus, Ohio 43207. The public hearing will end when everyone in attendance has had an opportunity to provide testimony related to the project. All interested persons are entitled to attend or be represented and give written or oral comments on the project. The purpose of the hearing is to obtain additional information that will be considered by the Director of Ohio EPA prior to any further action on the proposed and draft actions. Persons wishing to 1) be on Ohio EPA's interested parties mailing list for the project, or 2) submit comments for Ohio EPA's consideration must do so in writing to Ohio EPA's Division of Surface Water, Attention: Permits Processing Unit, P.O. Box 1049, Columbus, Ohio, 43216, by the close of business on September 30, 2008. Comments received after this date may not be considered as part of the official record.

Copies of the pending NPDES modification applications, proposed modified permits, draft plan approval and technical support information may be reviewed and/or copies made at Ohio EPA's Central District Office, Lazarus Government Center, 50 West Town Street, Suite 700, Columbus, Ohio 43215, by first calling (614)728-3778 to make an appointment, or can be viewed at http://www.epa.state.oh.us/dsw/cso/columbus_itcp.html.